

2026 HR-V

ENGINEERING

ENGINE	LX	SPORT	EX-L
Drivetrain	Available Real Time AWD™ with Intelligent Control System™ ¹	Real Time AWD™ with Intelligent Control System™ ¹	Real Time AWD™ with Inte ¹ Intelligent Control System™ ¹
Engine type	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder
Displacement (cc)	1996	1996	1996
Horsepower @ rpm ²	158 @ 6500	158 @ 6500	158 @ 6500
Redline (rpm)	6800	6800	6800
Torque (lb.-ft. @ rpm) ²	138 @ 4200	138 @ 4200	138 @ 4200
Bore and stroke (mm)	86 x 85.9	86 x 85.9	86 x 85.9
Valve train	16-valve DOHC VTEC® (intake) with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® (intake) with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® (intake) with Dual Variable Timing Control (VTC)
Compression ratio	10.8:1	10.8:1	10.8:1
Fuel injection	Port injection	Port injection	Port injection

CONVENIENCE

Active Noise Cancellation (ANC)	•	•	•
---------------------------------	---	---	---

DRIVE MODE

Drive modes	Normal/ECON/Snow	Normal/ECON/Snow	Normal/ECON/Snow
Eco Assist™ system	•	•	•

DRIVETRAIN

TRANSMISSION

Continuously Variable Transmission (CVT)	•	•	•
--	---	---	---

FUEL ECONOMY

Emissions rating	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30
Front-wheel drive (City/Hwy/Combined ³)	9.1/7.4/8.3		
Real Time AWD™ (City/Hwy/Combined ³)	9.5/7.8/8.7	9.5/7.8/8.7	9.5/7.8/8.7
Recommended fuel	Regular	Regular	Regular
Capless fueling system	•	•	•
Fuel tank capacity (L)	53	53	53

BODY/SUSPENSION/CHASSIS

BRAKES

Electronic Parking Brake (EPB) with automatic brake hold	•	•	•
--	---	---	---

DIMENSIONS

Stabilizer bars – front/rear (mm)	27/17.2 (FWD) 27/13 (Real Time AWD™)	27/13	27/13
Steering ratio	12.5:1	12.5:1	12.5:1
Steering wheel turns, lock-to-lock	2.6	2.6	2.6
Turning diameter – curb-to-curb (m)	5.4	5.4	5.4

TIRES

Tires	All-season P215/60 R17 96H T135/90 D17 104M	All-season P225/55 R18 98H T135/90 D17 104M	All-season P225/55 R18 98H T135/90 D17 104M
Spare tire			

WHEELS

17" aluminum-alloy wheels	Pewter Grey		
18" aluminum-alloy wheels		Gloss Black	Gloss Black with machined-cut

CHASSIS

Variable ratio electric power-assisted rack-and-pinion steering (EPS)	•	•	•
---	---	---	---

SUSPENSION

MacPherson strut front suspension	•	•	•
Multi-link independent rear suspension	•	•	•

HONDA SENSING® DRIVER-ASSISTIVE FEATURES

HONDA SENSING®

Adaptive Cruise Control ^{1,4} (ACC)	•	•	•
Auto high beam headlights ¹	•	•	•
Blind Spot Information (BSI) system ^{1,5}	•	•	•
Collision Mitigation Braking System™ ^{1,6} (CMBS®)	•	•	•
Cross Traffic Monitor ^{1,7} (CTM)	•	•	•
Lane Departure Warning ⁹ (LDW)	•	•	•
Lane Keeping Assist System ^{1,10} (LKAS)	•	•	•
Low-Speed Braking Control ¹	•	•	•
Road Departure Mitigation (RDM) system ^{1,11}	•	•	•
Traffic Jam Assist ^{1,12}	•	•	•
Traffic Sign Recognition (TSR) system ^{1,13}	•	•	•

SAFETY & DRIVER ASSISTIVE TECHNOLOGY

ACTIVE SAFETY	LX	SPORT	EX-L
Anti-lock Braking System ¹⁴ (ABS)	•	•	•
Brake Assist ¹	•	•	•
Electronic Brake-force Distribution ¹ (EBD)	•	•	•
Vehicle Stability Assist ¹⁵ (VSA®) with Traction Control	•	•	•
Hill Start Assist ¹⁶	•	•	•
PASSIVE SAFETY			
3-point seat belts at all seating positions	•	•	•
Advanced Compatibility Engineering™ ¹ (ACE™) body structure	•	•	•
Advanced front airbags (SRS)	•	•	•
Childproof rear door locks	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•
Driver & passenger side knee airbag	•	•	•
Lower Anchors and Tethers for Children (LATCH)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)
Rear outboard passengers' side airbags	•	•	•
Rear seat reminder ¹⁷	•	•	•
Seat belt reminder for all seating positions	•	•	•
Side curtain airbags with rollover sensor	•	•	•
SmartVent™ side airbags	•	•	•
EXTERIOR			
LIGHTING			
LED Daytime Running Lights (DRL)	•	•	•
LED headlights with auto-on/off	•	•	•
LED taillights	•	•	•
WIPERS			
Front wiper de-icer	•	•	•
Wipers	Intermittent	Intermittent, speed-sensing	Intermittent, speed-sensing
SIDE MIRRORS			
Heated power-adjusting side mirrors	•	•	•
Side mirror colour	Body-coloured	Black	Body-coloured
EXTERIOR – MISCELLANEOUS			
One-touch power moonroof		With tilt feature, with tilt and slide function	With tilt feature, with tilt and slide function
Front and rear splash guards	•	•	•
Exhaust finisher		•	
COMFORT AND CONVENIENCE			
CONVENIENCE			
Pushbutton start	•	•	•
Proximity key entry system	•	•	•
Remote engine starter	•	•	•
Smart Entry	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®
CAMERA			
Multi-angle rearview camera with dynamic guidelines ¹⁸	•	•	•
PARKING			
Parking sensors			Front (4), rear (4)
SECURITY			
Immobilizer theft-deterrent system	•	•	•
Security system	•	•	•
SHIFTER			
Leather-wrapped shift knob		•	•
STEERING WHEEL			
Steering wheel with mounted controls	Urethane	Heated, leather-wrapped	Heated, leather-wrapped
Tilt and telescopic steering column	•	•	•
WINDOWS			
Acoustic laminate glass	Windshield	Windshield	Windshield
Power windows with auto-up/down	Driver only	Front	Front
CLIMATE			
Climate control	Automatic	Dual-zone	Dual-zone
LIGHTING			
Ambient lighting			Footwell
Electrostatic touch 2nd-row reading lights	•	•	•
INTERIOR			
Front vanity mirrors	•		
Illuminated front vanity mirrors		•	•
OUTLET			
12-volt outlet	Cargo area	Cargo area	Cargo area

SEATING

SEATS	LX	SPORT	EX-L
Seat material	Fabric	Fabric	Leather-trimmed
Driver seat	6-way manual adjustment	6-way manual adjustment	8-way power adjustment
Passenger seat	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment
Heated front seats	•	•	•
Seating capacity	5	5	5

REAR SEATS

60/40 split-folding rear seat	•	•	•
-------------------------------	---	---	---

STORAGE

Seatback pockets	Passenger	Passenger	Passenger
------------------	-----------	-----------	-----------

AUDIO & CONNECTIVITY

AUDIO	LX	SPORT	EX-L
Speakers	4	6	8
9" touchscreen centre display (screen audio)	•	•	•
7" colour TFT centre meter display	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•
Apple CarPlay ^{®1,19} / Android Auto ^{™1,20}	Wired/wireless	Wired/wireless	Wired/wireless

USB device connectors ²³	2 USB-C 3.0A (Front) 1 USB-C 3.0A (Centre console)	1 USB-C 3.0A (Centre console) 2 USB-C 3.0A (Front)	1 USB-C 3.0A (Centre console) 2 USB-C 3.0A (Front)
-------------------------------------	---	---	---

Wireless phone charger ²⁴ (Qi-compatible)	•	•	•
--	---	---	---

DIMENSIONS

EXTERIOR	LX	SPORT	EX-L
Curb weight (kg)	1441 (FWD) 1494 (Real Time AWD [™])	1510	1510
Gross vehicle weight rating (kg)	1910	1900	1900
Ground clearance, unloaded (mm)	177.8	185.4	185.4
Height (mm)	1620.12	1620.12	1620.12
Length (mm)	4567.8	4567.8	4567.8
Track – front/rear (mm)	1590/1604	1590/1604	1590/1604
Wheelbase (mm)	2655	2655	2655
Width (mm)	1839.99	1839.99	1839.99
INTERIOR	LX	SPORT	EX-L
Cargo volume – rear seats up/down (L)	691/1559	691/1559	691/1559
Headroom – front/2nd row (mm)	1002/965.3	976/964	976/964
Hip room – front/2nd row (mm)	1371/1202.8	1371/1202.8	1371/1202.8
Legroom – front/2nd row (mm)	1064/958	1064/958	1064/958
Passenger volume (L)	2794.2	2794.2	2755.3
Shoulder room – front/2nd row (mm)	1438/1402.2	1438/1402.2	1438/1402.2

1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
3. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors - use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
4. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
5. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
6. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
7. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
8. The Front Cross Traffic Warning system is not a substitute for your own visual assessment before entering an intersection or driving forward. System may not detect all objects, or provide complete information about conditions, or what may be located in front or to the side of the vehicle. System accuracy will vary based on weather, size of object(s), speed and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions.
9. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
10. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
11. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
14. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
15. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
16. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
17. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
18. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
19. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
20. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
21. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
22. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit www.myvehicle.att.com to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
23. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
24. Honda wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
25. Only available in certain areas. Includes a no-charge trial of three months, beyond which service fees apply.